

## תרופות הגורמות לפגיעה במערכת העצבים ההיקפית - Peripheral Neuropathy

Peripheral Neuropathy הוא מצב הנובע מפגיעה או נזק למערכת העצבים ההיקפית. העצבים המקשרים בין המוח וחוט השדרה לגוף. התסמינים של נויורופטיה היקפית בד"כ מתחילים עם תחושת נימול, עקצוץ והירדמות של הידיים והרגליים ואחר כך סיבוכים חמורים יותר הכרוכים בכאב. גורמים שונים כמו מחלות (סכרת), זיהומים ותרופות מסוימות, עלולים לגרום לנזק לעצבים וכתוצאה מכך נויורופטיה היקפית.

קבוצה פרמקולוגית	שם התרופה
<b>ANTI-INFECTIVES</b>	Chloramphenicol, Chloroquine, Ciprofloxacin, Dapsone, Ethambutol, Isoniazid, Levofloxacin, Linezolid, Mefloquine, Metronidazole, Nitrofurantoin  <b>HIV medication:</b> Amprenavir, Didanosine, Ritonavir, Stavudine, Zalcitabine, Zidovudine Anti-fungal: Itraconazole, Posaconazole, Voriconazole (long term)
<b>ANTI-NEOPLASTIC</b>	<b>Highly toxic:</b> Aresenic Trioxide, Bortezomib, Docetaxel, Oxaliplatin, Paclitaxel, Thalidomide.  <b>Less toxic:</b> Alemtuzumab, Capecitabine, Carboplatin, Cispratin, Dacarbazine, Daunorubicin, Denileukin-diftitox, Fludarabine Interferon, Tretinoin, Vinoblastine, Vincristine, Vinorelbine  <b>RARE:</b> Fluorouracil, Chlorambucil, Cytarabine, Etoposide
<b>CARDIOVASCULAR DRUGS</b>	Amiodarone, Hydralazine, Atorvastatin, Pravastatin, Simvastatin.
<b>MISCELLANEOUS</b>	Acetazolamide, Allopurinol, Colchicine, Cyclosporine, Disulfiram, Gold salts, Interferon, Infliximab, Leflunomide, Lithium, Nitrous oxide (long term) Penicillamine, Phenezine Phenytoin, Pyridoxine (high dose...), Sulfasalazine, Tacrolimus

References:

1. Drug Induced Diseases: Tisdale & Miller, second edition, 2010.
2. Reactions on line
3. Beilinson Drug Information files